



WORKMAN | NYDEGGER  
INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111  
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM

PATENT  
Docket No. 13914.849.1

*Cose*

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Michael L. Olson

Serial No.: 10/770,273

Filed: Feb. 2, 2004

Confirmation No.: 9600

For: *EXERCISE DEVICE WITH RESISTANCE  
MECHANISM HAVING A PIVOTING ARM AND A  
RESISTANCE MEMBER*

Examiner: Lori Amerson

Patent No.: 7,482,050 B2

Issue Date: Jan. 27, 2009

Art Unit  
3764

**Certificate**

OCT 16 2009

**of Correction**

**REQUEST FOR A CERTIFICATE OF CORRECTION**  
**UNDER 37 C.F.R. § 1.323**

Attention: Certificate of Corrections Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Commissioner:

In accordance with the provisions of 37 C.F.R. § 1.323, which implements 35 U.S.C. § 255, the Director is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form PTO/SB/44 reflects the desired corrections.

Payment in the amount of \$100, as set forth in 37 C.F.R. § 1.20(a) is submitted herewith to cover the costs for issuance of the requested Certificate of Correction. The Commissioner is hereby authorized to charge payment of any of the following fees that may be applicable to this communication, or credit any overpayment, to Deposit Account No. 23-3178: (1) any filing fees required under 37 CFR § 1.16; (2) any patent application and reexamination processing fees

10/15/2009 MBELETE1 00000006 7482050


01 FC:1811

100.00 OP

under 37 CFR § 1.17; and/or (3) any post issuance fees under 37 CFR § 1.20. In addition, if any additional extension of time is required, which has not otherwise been requested, please consider this a petition therefore and charge any additional fees that may be required to Deposit Account No. 23-3178.

Dated this 1 day of October, 2009.

Respectfully submitted,




David B. Dellenbach  
Attorney for Applicant  
Registration No.: 39,166  
Customer No. 022913

WORKMAN NYDEGGER  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, UT 84111  
Phone: 801-533-9800  
Fax: 801-328-1707

**CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8**

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Attention: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 7 day of October, 2009.

Respectfully submitted,



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323  
PTO Form PTO/SB/44 and check No. 165313 in the amount of \$100



WORKMAN | NYDEGGER  
INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111

TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM

PATENT

Docket No. 13914.849.1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Michael L. Olson

Serial No.: 10/770,273

Filed: Feb. 2, 2004

Confirmation No.: 9600

For: *EXERCISE DEVICE WITH RESISTANCE  
MECHANISM HAVING A PIVOTING ARM AND A  
RESISTANCE MEMBER*

Examiner: Lori Amerson

Patent No.: 7,482,050 B2

Issue Date: Jan. 27, 2009

Art Unit  
3764

**REQUEST FOR A CERTIFICATE OF CORRECTION**  
**UNDER 37 C.F.R. § 1.323**

Attention: Certificate of Corrections Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Commissioner:


In accordance with the provisions of 37 C.F.R. § 1.323, which implements 35 U.S.C. § 255, the Director is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form PTO/SB/44 reflects the desired corrections.

Payment in the amount of \$100, as set forth in 37 C.F.R. § 1.20(a) is submitted herewith to cover the costs for issuance of the requested Certificate of Correction. The Commissioner is hereby authorized to charge payment of any of the following fees that may be applicable to this communication, or credit any overpayment, to Deposit Account No. 23-3178: (1) any filing fees required under 37 CFR § 1.16; (2) any patent application and reexamination processing fees

under 37 CFR § 1.17; and/or (3) any post issuance fees under 37 CFR § 1.20. In addition, if any additional extension of time is required, which has not otherwise been requested, please consider this a petition therefore and charge any additional fees that may be required to Deposit Account No. 23-3178.

Dated this 1 day of October, 2009.

Respectfully submitted,




David B. Dellenbach  
Attorney for Applicant  
Registration No.: 39,166  
Customer No. 022913

WORKMAN NYDEGGER  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, UT 84111  
Phone: 801-533-9800  
Fax: 801-328-1707

**CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8**

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Attention: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 7 day of October, 2009.

Respectfully submitted,



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323  
PTO Form PTO/SB/44 and check No. 165313 in the amount of \$100

2552519\_1.DOC

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 3

PATENT NO. : 7,482,050 B2  
APPLICATION NO.: 10/770,273  
ISSUE DATE : Jan. 27, 2009  
INVENTOR(S) : Michael L. Olson

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**Title Page**

Item 56, References Cited, Other Publications, add --System-- after the phrase "Anaerobic Exercise"

**Column 3**

Line 55, add --,-- after "hereinafter"

**Column 4**

Line 26, change "furthers" to --further--

Line 35, change "illustrates" to --illustrate--

Line 48, change "loosing" to --losing--

Line 56, change "as over head" to --as overhead--

Line 60, add --,-- after "16"

**Column 5**

Line 51, change "mechanism 16 is shown" to --mechanism 16 shown--

Line 63, change "extension member 74" to --extension member 96--

**Column 6**

Line 1, change "user" to --users--

**Column 7**

Line 24, change "with" to --will--

Line 27, change "(FIG. 3A)" to --(FIG. 3)--

Line 37, change "one or another." to --from one another--

Line 55, change "having" to --have--

Line 56, change "of member" to --of a member--

Line 65, change "spring 152" to --spring 154--

**Column 8**

Line 21, change "aperture 160" to --aperture 126--

MAILING ADDRESS OF SENDER (Please do not use customer number)

**David B. Dellenbach, WORKMAN NYDEGGER**  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111

# UNITED STATES PATENT AND TRADEMARK OFFICE

## CERTIFICATE OF CORRECTION

Page 2 of 3

PATENT NO. : 7,482,050 B2

APPLICATION NO.: 10/770,273

ISSUE DATE : Jan. 27, 2009

INVENTOR(S) : Michael L. Olson

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9

Line 7, change "may having any" to --may have any--

Line 16, change "members" to --member--

Line 16, change "levels occurs" to --levels occur--

Line 29, change "hence the amount" to --hence a different--

Line 36, change "affect" to --effect--

Line 42, change "of available" to --of the available--

Column 10

Line 21, change "point attachment" to --point of attachment--

Line 64, change "configuration the" to --configuration of the--

Column 11

Line 2, change "if" to --of--

Line 7, change "FIG. 1B" to --FIG. 11B--

Line 16, change "plate 236" to --plate 236,--

Line 19, change "exercise device 210" to --resistance assembly 212--

Line 27, change "FIGS. 1A and 1B" to --FIGS. 11A and 11B--

Line 38, change "surfaces 250" to --surfaces 250,--

Line 56, change "slidable" to --slidably--

Line 66, change "between resistance member" to --between the resistance member--

Column 12

Line 19, change "members in turn moves" to --members, in turn, move--

Line 22, add --,-- after "therefore"

Line 22, change "provides various an exercise" to --provides an exercise--

Line 30, change "resistance member" to --resistance member--

Remove lines 48-55

o

MAILING ADDRESS OF SENDER (Please do not use customer number)

**David B. Dellenbach, WORKMAN NYDEGGER**  
**1000 Eagle Gate Tower**  
**60 East South Temple**  
**Salt Lake City, Utah 84111**

# UNITED STATES PATENT AND TRADEMARK OFFICE

## CERTIFICATE OF CORRECTION

Page 3 of 3

PATENT NO. : 7,482,050 B2


APPLICATION NO.: 10/770,273

ISSUE DATE : Jan. 27, 2009

INVENTOR(S) : Michael L. Olson

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**Sheet 5, replace a portion of FIG. 4 with the figure portion depicted below, wherein fixed member 158 is relabeled 150**



MAILING ADDRESS OF SENDER (Please do not use customer number)

**David B. Dellenbach, WORKMAN NYDEGGER**  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111

This collection of information is required by 37 CFT 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 3

PATENT NO. : 7,482,050 B2

APPLICATION NO.: 10/770,273

ISSUE DATE : Jan. 27, 2009

INVENTOR(S) : Michael L. Olson

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**Title Page**

Item 56, References Cited, Other Publications, add --System-- after the phrase "Anaerobic Exercise"

**Column 3**

Line 55, add --,-- after "hereinafter"

**Column 4**

Line 26, change "further" to --further--

Line 35, change "illustrates" to --illustrate--

Line 48, change "loosing" to --losing--

Line 56, change "as over head" to --as overhead--

Line 60, add --,-- after "16"

**Column 5**

Line 51, change "mechanism 16 is shown" to --mechanism 16 shown--

Line 63, change "extension member 74" to --extension member 96--

**Column 6**

Line 1, change "user" to --users--

**Column 7**

Line 24, change "with" to --will--

Line 27, change "(FIG. 3A)" to --(FIG. 3)--

Line 37, change "one or another." to --from one another--

Line 55, change "having" to --have--

Line 56, change "of member" to --of a member--

Line 65, change "spring 152" to --spring 154--

**Column 8**

Line 21, change "aperture 160" to --aperture 126--

MAILING ADDRESS OF SENDER (Please do not use customer number)

David B. Dellenbach, WORKMAN NYDEGGER  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 2 of 3

PATENT NO. : 7,482,050 B2

APPLICATION NO.: 10/770,273

ISSUE DATE : Jan. 27, 2009

INVENTOR(S) : Michael L. Olson

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**Column 9**

Line 7, change "may having any" to --may have any--

Line 16, change "members" to --member--

Line 16, change "levels occurs" to --levels occur--

Line 29, change "hence the amount" to --hence a different--

Line 36, change "affect" to --effect--

Line 42, change "of available" to --of the available--

**Column 10**

Line 21, change "point attachment" to --point of attachment--

Line 64, change "configuration the" to --configuration of the--

**Column 11**

Line 2, change "if" to --of--

Line 7, change "FIG. 1B" to --FIG. 11B--

Line 16, change "plate 236" to --plate 236,--

Line 19, change "exercise device 210" to --resistance assembly 212--

Line 27, change "FIGS. 1A and 1B" to --FIGS. 11A and 11B--

Line 38, change "surfaces 250" to --surfaces 250,--

Line 56, change "slidable" to --slidably--

Line 66, change "between resistance member" to --between the resistance member--

**Column 12**

Line 19, change "members in turn moves" to --members, in turn, move--

Line 22, add --,-- after "therefore"

Line 22, change "provides various an exercise" to --provides an exercise--

Line 30, change "resistance member" to --resistance member--

Remove lines 48-55

MAILING ADDRESS OF SENDER (Please do not use customer number)

**David B. Dellenbach, WORKMAN NYDEGGER**  
**1000 Eagle Gate Tower**  
**60 East South Temple**  
**Salt Lake City, Utah 84111**

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 3 of 3

PATENT NO. : 7,482,050 B2


APPLICATION NO.: 10/770,273

ISSUE DATE : Jan. 27, 2009

INVENTOR(S) : Michael L. Olson

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Sheet 5, replace a portion of FIG. 4 with the figure portion depicted below, wherein fixed member 158 is relabeled 150



MAILING ADDRESS OF SENDER (Please do not use customer number)

David B. Dellenbach, WORKMAN NYDEGGER  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111

This collection of information is required by 37 CFT 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.